

WESTUL[®]
PROFESSIONALITÄT

WESTUL[®]
PROFESSIONALITÄT

WESTUL[®]
PROFESSIONALITÄT



NEW
PRODUCTS

浙江威斯托贸易有限公司

Zhejiang Westul Trading Co.,Ltd.

浙江省金华市婺城区永康街477号,
金华之心数字经济产业园5号楼B座4/5层

4/5F, Building 5B, Jinhua Digital Economy Industrial
Park No. 477 Yongkang Street, Wucheng District,
Jinhua 321000, China

E-Mail:sales@westul.cn

<http://www.westul.cn>

WESTUL[®]
PROFESSIONALITÄT

WESTUL[®]
PROFESSIONALITÄT



20V_{MAX} LITHIUM-ION

ONE
BATTERY FITS ALL

4V_{MAX}
LITHIUM-ION



Cordless Drill/Driver
WT-CDD30N-B

p3



Cordless Heat Gun
WT-CHG300-LED

p11



Brushless Drill/Driver
WT-CDD45N-BL

p4



Brushless Angle Grinder
WT-CAG125D-BL

p12



Brushless Hammer Drill
WT-CHD50N-BL

p5



Brushless 7-1/4inch Circular Saw
WT-CCS185D-BL

p13



Brushless Drill/Drive
WT-CDD80N-BL

p6



Brushless HVLP Sprayer
WT-PHD0118

p14



Brushless Hammer Drill
WT-CHD80N-BL

p7



Cordless HVLP Sprayer
WT-PHD2420

p15



Brushless Impact Driver
WT-CID200N-BL

p8



Cordless Mini Screwdriver
WT-CSD4V-H

p16



Brushless Impact Wrench
WT-CIW300N-BL

p9



Cordless Screwdriver
WT-CSD4V-L-A
WT-CSD4V-L-B

p17-18



Cordless Heat Gun
WT-CHG300

p10



Laser Dust Collector
WT-CDCL4-L

p19



Tools & Battery & Charger

Features

- ✓ Over-discharge protection
- ✓ Over-load protection
- ✓ Over-temperature protection



DC BATTERY + charger

20V Lithium-Ion 2.0Ah 40Wh
Charge time: 1 hour

20V Lithium-Ion 4.0Ah 80Wh
Charge time: 2 hours



Input: 100-240VAC 65W 50Hz/60Hz Output: 20.5VDC 2.6A

Cordless Drill/Driver WT-CDD30N-B



rpm 0-400/0-1450RPM 20V

MAXIMUM TORQUE: 30N.m

Features

- ✔ Two-speed gear adjustment
- ✔ 19 gears torque adjustment
- ✔ LED Light
- ✔ Forward and reverse switching
- ✔ Variable speed switch
- ✔ Laser texture soft grip

Specifications

Motor	550 brushed motor
No load speed	0-400/0-1450 RPM
Torque setting	19
Max torque	30 N.m
Chuck size	0.8-10 mm
Weight	895g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

20V LITHIUM-ION

Brushless Drill/Drive WT-CDD45N-B



rpm 0-500/0-1550RPM 20V

MAXIMUM TORQUE: 45N.m

Features

- ✔ Two-speed gear adjustment
- ✔ 21 gears torque adjustment
- ✔ LED Light
- ✔ Forward and reverse switching
- ✔ Variable speed switch
- ✔ Laser texture soft grip

Specifications

Motor	3820 brushless motor
No load speed	0-500/0-1550 RPM
Torque setting	21
Max torque	45 N.m
Chuck size	1.5-13 mm
Weight	900g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

20V LITHIUM-ION

Brushless Hammer Drill
WT-CHD50N-BL

BRUSHLESS
Motor



rpm 0-400/0-2200RPM 20V

MAXIMUM TORQUE: 50N.m

Features

- ✓ Two-speed gear adjustment
- ✓ 20+3 gears torque adjustment
- ✓ LED Light
- ✓ Forward and reverse switching
- ✓ Variable speed switch
- ✓ Laser texture soft grip

Specifications

Motor	4818 brushless motor
No load speed	0-400/0-2200 RPM
Impact frequency	0-6000/0-33000 BPM
Torque setting	20+3
Max torque	50 N.m
Chuck size	1.5-13 mm
Weight	1115g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

20V LITHIUM-ION

Brushless Drill/Drive
WT-CHD80N-BL

BRUSHLESS
Motor



rpm 0-500/0-1800RPM 20V

MAXIMUM TORQUE: 80N.m

Features

- ✓ Two-speed gear adjustment
- ✓ 21 gears torque adjustment
- ✓ LED Light
- ✓ 13mm metal chuck
- ✓ Forward and reverse switching
- ✓ Variable speed switch
- ✓ Soft rubber anti-slip handle
- ✓ Laser texture soft grip

Specifications

Motor	4825 brushless motor
No load speed	0-500/0-1800 RPM
Torque setting	21
Max torque	80 N.m
Chuck size	1.5-13 mm
Drilling capacity	Wood: 40mm Metal: 13mm
Weight	1510g
Packing size	47.5 x 35.5 x 26.5cm
Q'ty of 20'/40'/40'HQ	2875 / 5995 / 7495

Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

20V LITHIUM-ION

Brushless Hammer Drill WT-CHD80N-BL



BRUSHLESS
Motor

rpm	0-500/0-1800RPM	20V
	MAXIMUM TORQUE: 80N.m	

Features

- ✓ Two-speed gear adjustment
- ✓ 20+3 gears torque adjustment
- ✓ LED Light
- ✓ 13mm metal chuck
- ✓ Forward and reverse switching
- ✓ Variable speed switch
- ✓ Soft rubber anti-slip handle
- ✓ Laser texture soft grip

Specifications

Motor	4825 brushless motor
No load speed	0-500/0-1800 RPM
Impact frequency	0-7500/0-27000 BPM
Torque setting	20+3
Max torque	80 N.m
Chuck size	1.5-13 mm
Drilling capacity	Wood: 40mm Metal: 13mm Masonry: 13mm
Weight	1610g
Packing size	47.5 x 35.5 x 26.5cm
Q'ty of 20'/40'/40'HQ	2875 / 5995 / 7495

Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

20V LITHIUM-ION

Brushless Impact Driver WT-CID200N-BL

BRUSHLESS
Motor



rpm	0-1000/0-2200/ 0-2850 RPM	20V
	MAXIMUM TORQUE: 200N.m	

Features

- ✓ Full metal gear box
- ✓ 1/4 inch hex chuck
- ✓ LED Light
- ✓ Scald-proof rubber sleeve
- ✓ Forward and reverse switching
- ✓ Variable speed switch
- ✓ Laser texture soft grip

Specifications

Motor	4815 brushless motor
No load speed	0-1000/0-2200/0-2850 RPM
Impact frequency	0-3200 IPM
Speed setting	3
Max torque	200 N.m
Output shaft	1/4" hex
Weight	1095g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

20V LITHIUM-ION

Brushless Impact Wrench WT-CIW300N-BL



Laser texture soft grip

rpm 0-1000/0-2200/
0-2850 RPM 20V

MAXIMUM TORQUE: 300N.m

Features

- Full metal gear box
- 1/2 inch square shaft
- LED Light
- Scald-proof rubber sleeve
- Forward and reverse switching
- Variable speed switch
- Laser texture soft grip

Specifications

Motor	4815 brushless motor
No load speed	0-1000/0-2200/0-2850 RPM
Impact frequency	0-3200 IPM
Speed setting	3
Max torque	300 N.m
Output shaft	1/2" square head
Weight	1100g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

20V LITHIUM-ION

Cordless Heat Gun WT-CHG300-20



260L/min 20V

I: 300°C II: 550°C



Features

- Able to replace the hot nozzle
- Quick to change the nozzles for different use
- LED Light
- Laser texture soft grip

Specifications

Motor	Brushed motor
Max Power	300W
Temperature range	I: 300°C II: 550°C
Air flow	260L/min
Weight	500g
Packing size	31 x 21.5 x 9.5cm
Q'ty of 20'/40'/40'HQ	3845 / 8045 / 8850




Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

20V LITHIUM-ION

Cordless Heat Gun WT-CHG300-LED



	260L/min		20V
	100°C, 200°C, 300°C, 400°C, 550°C		



Features

- ✓ Afe to replace the hot nozzle
- ✓ Quick to change the nozzlesfor differnt use
- ✓ LED Light
- ✓ Laser texture soft grip

Specifications

Motor	Brushed motor
Max Power	300W
Temperature range	100°C, 200°C, 300°C, 400°C, 550°C
Air flow	260L/min
Weight	500g
Packing size	31 x 21.5 x 9.5cm
Q'ty of 20'/40'/40'HQ	3845 / 8045 / 8850



Unit Price

Bare machine		BMC	
2.0Ah battery		Quick charger	
4.0Ah battery			

20V LITHIUM-ION

Brushless Angle Grinder WT-CAG125D-BL



	9000RPM		20V
	Ø 115mm/ Ø125mm* Ø22mm		



Laser texture soft grip



Features

- ✓ Durable head shell
- ✓ Spindle lock
- ✓ Vent heat dissipation
- ✓ Soft rubber anti-slip handle
- ✓ Push switch
- ✓ Soft rubber auxiliary handle
- ✓ Laser texture soft grip

Specifications

Motor	5225 brushless motor
No load speed	9000RPM
Blade diameter	Ø 115mm/ Ø 125mm* Ø22mm
Flange nut	M14
Weight	1950g
Packing size	44.5 x 36.5 x 25cm
Q'ty of 20'/40'/40'HQ	2804 / 5612 / 6236

Unit Price

Bare machine		BMC	
2.0Ah battery		Quick charger	
4.0Ah battery			

20V LITHIUM-ION

Brushless 7-1/4inch Circular Saw
WT-CCS185D-BL



Laser texture
soft grip

rpm 5500RPM 20V

Ø185mm* Ø20mm

Features

- ✓ Dust discharge interface
- ✓ Depth adjustment
- ✓ Lower guard
- ✓ LED lighting
- ✓ Soft rubber anti-slip handle
- ✓ Angle adjustment
- ✓ Laser texture soft grip

Specifications

Motor	6030 brushless motor
No load speed	5500 RPM
Blade size	Ø185mm*Ø20mm
Cutting depth	65mm at 90°, 48mm at 45°
Beveling capacity	57°
Weight	3600g
Packing size	44 x 36.5 x 33.5cm
Q'ty of 20'/40'/40'HQ	1090 / 2266 / 2590

Unit Price

Bare machine	BMC		
2.0Ah battery	Quick charger		
4.0Ah battery			

20V LITHIUM-ION

Brushless HVLP Sprayer
WT-PHD0118



Copper
nozzles

1000 ml/min

20V

MAX. VISCOSITY: 120 DIN/SEC

Features

- ✓ Quick release function for easy clean
- ✓ Multiple spraying patterns
- ✓ Plastic or copper nozzles for choices
- ✓ Quick filter change
- ✓ Lithium battery pack

Specifications

Rated voltage	20V DC
Paint reservoir	800 ml
Nozzle	Φ1.8 / 2.6 mm (copper)
Max. Flow rate	1000 ml/min
Max. Viscosity	120 Din/sec
Battery capacity	2.0 Ah or 4.0 Ah
Weight	2100g
Packing size	30 x 13 x 30.5cm
Q'ty of 20'/40'/40'HQ	2152 / 4112 / 4700

Unit Price

Bare machine	BMC		
2.0Ah battery	Quick charger		
4.0Ah battery			

20V LITHIUM-ION

Cordless HVLP Sprayer WT-PHD2420



Copper nozzles



800 ml/min



20V



MAX. VISCOSITY: 120 DIN/SEC



Features

- ✓ Quick release function for easy clean
- ✓ Multiple spraying patterns
- ✓ Plastic or copper nozzles for choices
- ✓ Quick filter change
- ✓ Lithium battery pack

Specifications

Rated Voltage	20V DC
Paint Reservoir	1000 ml
Nozzle	Φ1.8 / 2.6 mm (copper)
Max. Flow rate	800 ml/min
Max. Viscosity	120 Din/sec
Battery capacity	4.0 Ah
Weight	2000g
Packing size	30 x 13 x 30.5cm
Q'ty of 20'/40'/40'HQ	2152 / 4112 / 4700

Unit Price

Bare machine		BMC	
4.0Ah battery		Quick charger	

20V LITHIUM-ION

Cordless Mini Screwdriver WT-CSD4V-H



270 RPM



4V



TORQUE: 3Nm(soft)/5Nm(hard)



Laser texture soft grip



Features

- ✓ 1/4 inch magnetic chuck
- ✓ 4-gear electronic torque adjustment
- ✓ 2 LED lighting
- ✓ Forward and reverse switching
- ✓ Soft rubber anti-slip handle
- ✓ Work light/flashlight switching
- ✓ Conveniently charges via USB-C port

Specifications

Voltage	4V
Motor	380 brushed motor
No load speed	270 RPM
Head style	1/4" magnetic bit holder
Torque	3 N.m(soft) / 5 N.m(hard)
Lithium-Ion battery	2000mAh
Weight	400g
Packing size	5 x 6 x 20cm
Q'ty of 20'/40'/40'HQ	41550 / 85440 / 93210

Unit Price

Color box		BMC	
-----------	--	-----	--

Cordless Screwdriver-LED WT-CSD4V-L-A



270 RPM	4V
TORQUE: 3Nm(soft) / 5Nm(hard)	

Features

- ✓ Battery power display
- ✓ 1/4 inch magnetic chuck
- ✓ 3 LED lighting
- ✓ Forward and reverse switching
- ✓ Soft rubber anti-slip handle
- ✓ On/off switch
- ✓ Conveniently charges via USB-C port

Specifications

Voltage	4V
Motor	380 brushed motor
No load speed	270 RPM
Head style	1/4" magnetic bit holder
Torque	3 N.m(soft) / 5 N.m(hard)
Lithium-Ion battery	2000mAh
Weight	420g
Packing size	16.5 x 13 x 5.5 cm
Q'ty of 20'/40'/40'HQ	19020 / 39180 / 44780

Unit Price

Color box		BMC	

Cordless Screwdriver-LCD WT-CSD4V-L-B



270 RPM	4V
TORQUE: 3Nm(soft) / 5Nm(hard)	

Features

- ✓ Battery power digital display
- ✓ 1/4 inch magnetic chuck
- ✓ 3 LED lighting
- ✓ Forward and reverse switching
- ✓ Soft rubber anti-slip handle
- ✓ On/off switch
- ✓ Conveniently charges via USB-C port

Specifications

Voltage	4V
Motor	380 brushed motor
No load speed	270 RPM
Head style	1/4" magnetic bit holder
Torque	3 N.m(soft) / 5 N.m(hard)
Lithium-Ion battery	2000mAh
Weight	420g
Packing size	16.5 x 13 x 5.5 cm
Q'ty of 20'/40'/40'HQ	19020 / 39180 / 44780

Unit Price

Color box		BMC	

Laser Dust Collector

WT-CDCL44-L



 4V

 Ø 13mm



Features

- ✓ Dust free drilling
- ✓ Double bubble laser level
- ✓ Laser light switch
- ✓ Protective cover
- ✓ Power on/off switch
- ✓ Automatic adsorption
- ✓ Conveniently charges via USB-C port

Specifications

Voltage	4V
Drill bit max diameter	Ø13mm
Lithium-Ion battery	2000mAh
Weight	250g
Packing size	18.5 x 8.5 x 6.5cm
Q'ty of 20'/40'/40'HQ	33560 / 69960 / 83960

Unit Price

Color box		BMC	